



Lloyd's  
Register

## Type Approval Certificate Extension

This is to certify that Certificate No. 98/00132(E3) for the undernoted products is extended and renumbered as shown.

This certificate is issued to:

<b>PRODUCER</b>	ilta inox S.p.A. Strada Statale 45 Bis 1-26010 Robecco D'Oglio Cremona Italy	
<b>PLACE OF PRODUCTION</b>	ilta inox S.p.A. Production Unit CHIBRO Via Valtellin, 15 Montano Lucino Como Italy	
<b>DESCRIPTION</b>	90/10 Cupronickel Piping System with NBR 'O' rings	
<b>TYPE</b>	Cunipress	
<b>SPECIFIED STANDARDS</b>	Lloyd's Register's Rules and Regulations for the Classification of Ships, Part 5, Chapter 12.	
<b>RATINGS</b>	Nominal outside diameter (mm):	15, 18, 22, 28, 35, 42, 54, 76.1, 88.9, 108
	Maximum working pressure (bar):	16
	Maximum temperature (°C):	95
<b>Certificate No.</b>	98/00132(E4)	
<b>Issue Date</b>	21 March 2014	
<b>Expiry Date</b>	12 November 2018	
<b>Sheet</b>	1 of 3	

P.A. Stanney  
Marine Technology & Engineering Services, London  
Lloyd's Register EMEA

Lloyd's Register EMEA  
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register EMEA  
Is a subsidiary of Lloyd's Register Group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Maximum insertion lengths (mm):

Pipe diameter (mm)	15, 18, 22, 28, 35, 42, 54, 76.1, 88.9, 108
Insertion length (mm)	21, 22, 23, 24, 28, 32, 36, 58, 62, 78

**APPLICATION**

Subject to the conditions stated below, Cunipress pipe fittings may be accepted for use in the following piping systems on ships classed or intended to be classed by Lloyd's Register:

1. Class III piping systems.
2. Flammable fluids, but not inside Category A machinery spaces.
3. Fresh and sea water cooling for machinery.
4. Fire main and deck washing on ships where LR is authorised to act on behalf of the Flag Administration
5. 'Wet' and 'Dry' type Sprinkler systems (with the same limitation as 4 above)
6. Bilge and Ballast systems except on passenger ships.
7. Sanitary grey water and black water drainage
8. Domestic hot and cold fresh and sea water systems
9. Refrigeration Brine systems
10. Non-essential oily bilge systems

**OTHER CONDITIONS**

1. Where couplings are to be installed on ships classed by Lloyd's Register, the position is to be indicated on the relevant diagrammatic plans.
2. Piping is to be installed in accordance with Cunipress Installation Instructions, in positions which are readily accessible at all times and where there is sufficient working area to utilise the pressing tool
3. After installation, the pipe system and fittings are to be hydraulically tested to 1.5 times the design pressure of the system but at not less than 7 bar

**Certificate No.** 98/00132(E4)  
**Issue Date** 21 March 2014  
**Expiry Date** 12 November 2018  
**Sheet** 2 of 3

P.A. Stanney  
 Marine Technology & Engineering Services, London  
 Lloyd's Register EMEA

Lloyd's Register EMEA  
 71 Fenchurch Street, London EC3M 4BS

Lloyd's Register EMEA  
 Is a subsidiary of Lloyd's Register Group



Lloyd's  
Register

4. The type approval is subject to the piping system not being subjected to internal pulsation pressure shocks
5. In all cases, the pipes are to be suitably supported and anchored

*"This Certificate is not valid for equipment, the design, ratings or operating parameters of which have been varied from the specimen tested. The manufacturer should notify Lloyd's Register EMEA of any modification or changes to the equipment in order to obtain a valid certificate."*

*The attached Design Appraisal Document No. 98/00132(E4) and its supplementary Type Approval Terms and Conditions form part of this Certificate.*

All other details remain as the previous Certificate No. 98/00132(E3) to which this extension should be attached.

<b>Certificate No.</b>	98/00132(E4)
<b>Issue Date</b>	21 March 2014
<b>Expiry Date</b>	12 November 2018
<b>Sheet</b>	3 of 3

P.A. Stanney  
Marine Technology & Engineering Services, London  
Lloyd's Register EMEA

Lloyd's Register EMEA  
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register EMEA  
Is a subsidiary of Lloyd's Register Group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.